NSN 5925-00-471-1484

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-471-1484 **Body Style:** Multipole-multiple actuator type **Body Length:** 2.500 inches **Body Width:** 2.500 inches **Case Material:** Plastic **Center To Center Distance Between Terminals Parallel To Length:** 1.938 inches **Center To Center Distance Between Terminals Parallel To Width:** 0.750 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 2.062 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.750 inches **Fragility Factor:** Moderately rugged **Boss Height:** 0.140 inches **Mounting Surface To Terminal End Distance:** 2.611 inches **Pole Quantity: Arc Quenching Method:** Air **Mounting Facility Type And Quantity:** 6 threaded hole Storage Type: General purpose warehouse Thready Qty Per Inch (tpi): **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Magnetic-hydraulic all locations **Reset Method:** Manual

Trip free

Manual Actuator Type And Quantity:
3 toggle

Main Contact Tripping Mechanism Type:

NSN 5925-00-471-1484 Circuit Breaker - Page 2 of 2



| Actuator Function: |
|---|
| Trip-reset |
| Actuator Position Designation: |
| At each pole |
| External Actuator Linkage Arrangement: |
| One, two, and three linked |
| Thread Size: |
| 0.138 inches |
| Inclosure Protection Type For Which Designed: |
| Dripproof |
| Thread Series Designator: |
| Unc |
| Terminal Type And Quantity: |
| 6 threaded stud |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A030a0 |