NSN 5925-00-476-6337

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-476-6337 **Body Style:** Multipole-single actuator type **Body Length:** 6.000 inches **Body Width:** 4.468 inches **Body Height:** 3.000 inches **Case Material: Plastic Center To Center Distance Between Terminals Parallel To Length:** 5.125 inches **Center To Center Distance Between Terminals Parallel To Width:** 3.000 inches **Unthreaded Mounting Hole Diameter:** 0.171 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 5.125 inches **Switch Contact Arrangement:** Single pole, double throw Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.500 inches **Boss Height:** 0.155 inches **Pole Quantity:** 2 **Mounting Facility Type And Quantity:** 4 unthreaded hole Storage Type: General purpose warehouse **Features Provided:** Adjustable trip release **Maximum Continuous Load Current Rating Per Pole:** 40.0 amperes ac all locations and 40.0 amperes dc all locations **Operating Voltage Type And Rating Per Pole In Volts:** 600.0 ac all locations and 250.0 dc all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 18000.0 ac all locations and 10000.0 dc all locations

Circuit Protection Type:

Undervoltage all locations

Trip Release Method:

Thermal-magnetic all locations

NSN 5925-00-476-6337

Circuit Breaker - Page 2 of 2



Trip Release Characteristic:
Instantaneous all locations
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
140.0 all locations
Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:
1 toggle
Actuator Function:
Trip-reset
Actuator Position Designation:
Between pole one and two
Auxiliary Switch Function And Quantity:
1 alarm
Adjustable Trip Setting Current Range Per Pole In Amps:
+325.0/+400.0 ac all locations and +325.0/+400.0 dc all locations
Switch Location And Position Designation:
Internal at pole two
Inclosure Protection Type For Which Designed:
General purpose
Trip Release Ambient Tempurature Rating:
40.0 degrees celsius all locations
Switch Terminal Type:
Wire lead
Switch Current Rating And Type In Amps:
10.0 ac
Switch Voltage Rating And Type In Volts:
120.0 ac
Frequency In Hertz:
60.0 all locations
Terminal Type And Quantity:
4 compression
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A030a0