NSN 5925-00-479-7296

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-479-7296 **Body Style:** Single pole type **Body Length:** 6.000 inches **Body Width:** 1.500 inches **Body Height:** 3.000 inches **Case Material: Plastic Center To Center Distance Between Terminals Parallel To Length:** 5.125 inches **Unthreaded Mounting Hole Diameter:** 0.172 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 5.125 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.250 inches **Boss Height:** 0.125 inches **Pole Quantity:** 1 **Mounting Facility Type And Quantity:** 4 unthreaded hole Storage Type: General purpose warehouse **Maximum Continuous Load Current Rating Per Pole:** 100.0 amperes ac single location and 100.0 amperes dc single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Magnetic single location **Trip Release Characteristic:** Time delay single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 150.0 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free

Manual Actuator Type And Quantity:

1 toggle

NSN 5925-00-479-7296

Circuit Breaker - Page 2 of 2



| Actuator Function: |
|---|
| Trip-reset |
| Actuator Position Designation: |
| At pole one |
| Internal Trip Release Configuration: |
| Series trip single location |
| Inclosure Protection Type For Which Designed: |
| Fungus resistant |
| Frequency In Hertz: |
| 60.0 single location |
| Terminal Type And Quantity: |
| 2 screw |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| |