

View Online at <https://aerobasegroup.com/nsn/5925-00-500-6749>

**Body Style:**

Single pole type

**Body Length:**

0.937 inches

**Body Width:**

3.375 inches

**Body Height:**

2.343 inches

**Case Material:**

Plastic

**Boss Height:**

0.218 inches

**Pole Quantity:**

1

**Maximum Continuous Load Current Rating Per Pole:**

40.0 amperes ac single location

**Operating Voltage Type And Rating Per Pole In Volts:**

120.0 ac single location and 240.0 ac single location

**Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:**

5000.0 ac single location

**Circuit Protection Type:**

Overcurrent single location

**Trip Release Method:**

Thermal-magnetic single location

**Trip Release Characteristic:**

Time delay single location

**Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:**

125.0 single location

**Ultimate Trip Time Per Pole In Seconds:**

300.000 single location

**Reset Method:**

Manual

**Main Contact Tripping Mechanism Type:**

Trip free

**Manual Actuator Type And Quantity:**

1 toggle

**Actuator Function:**

Trip-reset

**Actuator Position Designation:**

At each pole

**Trip Delay Time In Seconds Per Rated Continuous Current:**

300.000 at 125 pct single location and 25.000 at 200 pct single location and 7.000 at 300 pct single location

**Trip Release Ambient Tempurature Rating:**

25.0 degrees celsius single location

**Special Features:**

Mounting method is terminal

**Frequency In Hertz:**

60.0 single location

**Terminal Type And Quantity:**

1 screw base and 1 quick disconnect, male

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A030a0