

View Online at <https://aerobasegroup.com/nsn/5925-00-500-7889>

**Body Style:**

Rectangular dimensional envelope

**Overall Length:**

25.000 inches

**Overall Height:**

24.125 inches

**Overall Width:**

24.000 inches

**Case Material:**

Metal

**Pole Quantity:**

2

**Mounting Facility Type And Quantity:**

8 threaded hole

**Features Provided:**

Adjustable trip release

**Maximum Continuous Load Current Rating Per Pole:**

800.0 amperes dc all locations

**Operating Voltage Type And Rating Per Pole In Volts:**

250.0 dc all locations

**Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:**

60000.0 dc all locations

**Circuit Protection Type:**

Overcurrent all locations

**Trip Release Method:**

Magnetic all locations

**Trip Release Characteristic:**

Instantaneous all locations and time delay all locations

**Reset Method:**

Manual

**Main Contact Tripping Mechanism Type:**

Trip free

**Manual Actuator Type And Quantity:**

1 push-pull and 1 rotary

**Actuator Function:**

Trip w/separate reset

**Auxiliary Switch Function And Quantity:**

1 control

**Adjustable Trip Setting Current Range Per Pole In Amps:**

+800.0/+1600.0 dc all locations

**Thread Size:**

0.375 inches

**Thread Series Designator:**

Unc

**Terminal Type And Quantity:**

4 bus bar

**Specification Or Standard:**

Acb type

**Reference Number Differentiating Characteristics:**

As differentiated by pole quantity, continuous loadcurrent rating per pole, tripping time in seconds

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A030a0