NSN 5925-00-502-2294



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-00-502-2294 **Overall Length:** 2.250 inches **Overall Height:** 3.266 inches Overall Width: 0.750 inches **Case Material:** Plastic **Pole Quantity: Mounting Facility Type And Quantity:** 2 threaded hole Thready Qty Per Inch (tpi): 32 **Maximum Continuous Load Current Rating Per Pole:** 30.0 amperes ac single location and 30.0 amperes dc single location Operating Voltage Type And Rating Per Pole In Volts: 30.0 ac single location and 30.0 dc single location **Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:** 1000.0 ac single location and 1000.0 dc single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Thermal single location **Trip Release Characteristic:** Time delay single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 single location **Reset Method:** Automatic **Thread Size:** 0.138 inches **Trip Delay Time In Seconds Per Rated Continuous Current:** 3600.000 at 125 pct single location and 28.000 at 300 pct single location **Inclosure Protection Type For Which Designed:** Dustproof **Trip Release Ambient Tempurature Rating:** 40.0 degrees celsius single location

Thread Series Designator: Unc **Terminal Type And Quantity:**

2 screw

NSN 5925-00-502-2294

Circuit Breaker - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0