## NSN 5925-00-601-6344



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-00-601-6344 **Body Style:** Single pole type **Body Length:** 2.844 inches **Body Width:** 0.969 inches **Body Height:** 2.359 inches **Case Material: Plastic Boss Height:** 0.187 inches **Pole Quantity: Mounting Facility Type And Quantity:** 2 terminal **Storage Type:** General purpose warehouse **Features Provided:** Ground fault protection **Maximum Continuous Load Current Rating Per Pole:** 20.0 amperes ac single location **Operating Voltage Type And Rating Per Pole In Volts:** 120.0 ac single location Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 10000.0 ac single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Thermal-magnetic single location **Trip Release Characteristic:** Instantaneous single location and time delay single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 toggle

**Actuator Function:** 

Trip-reset

# NSN 5925-00-601-6344

Circuit Breaker - Page 2 of 2



#### **Actuator Position Designation:**

At pole one

#### **Trip Delay Time In Seconds Per Rated Continuous Current:**

15.000 at 200 pct single location and 110.000 at 200 pct single location

**Inclosure Protection Type For Which Designed:** 

Fungus resistant

### **Trip Release Ambient Tempurature Rating:**

50.0 degrees celsius single location

Frequency In Hertz:

60.0 single location

#### **Terminal Type And Quantity:**

1 compression and 1 clip

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A030a0