NSN 5925-00-642-5253



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-00-642-5253 **Overall Length:** 15.500 inches **Overall Height:** 6.250 inches **Overall Width:** 9.000 inches **Case Material:** Plastic Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 14.375 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 2.875 inches **Pole Quantity: Arc Quenching Method: Mounting Facility Type And Quantity:** 4 threaded stud **Maximum Continuous Load Current Rating Per Pole:** 225.0 amperes dc all locations **Operating Voltage Type And Rating Per Pole In Volts:** 250.0 dc all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 15000.0 dc all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Magnetic all locations **Trip Release Characteristic:** Time delay second location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 1050.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 toggle **Actuator Function:**

Reset

Trip Release Ambient Tempurature Rating:

50.0 degrees celsius all locations

NSN 5925-00-642-5253

Circuit Breaker - Page 2 of 2



| Terminal Type Aı | nd Quantity: |
|------------------|--------------|
|------------------|--------------|

4 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0