NSN 5925-00-655-1171

Circuit Breaker Tripper - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-655-1171

Body Style: Rectangular dimensional envelope **Overall Length:** 7.500 inches **Overall Height:** 3.781 inches Overall Width: **3.938** inches **Unthreaded Mounting Hole Diameter:** 0.250 inches **Pole Quantity: Mounting Facility Type And Quantity:** 4 unthreaded hole Storage Type: General purpose warehouse **Features Provided:** Adjustable trip release **Maximum Continuous Load Current Rating Per Pole:** 225.0 amperes ac all locations **Operating Voltage Type And Rating Per Pole In Volts:** 500.0 ac all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal-magnetic all locations **Trip Release Characteristic:** Instantaneous all locations and time delay all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 140.0 all locations **Manual Actuator Type And Quantity:** 1 toggle **Actuator Function:** Trip-reset **Actuator Position Designation:** At pole two Adjustable Trip Setting Current Range Per Pole In Amps: +650.0/+1300.0 ac all locations

Trip Delay Time In Seconds Per Rated Continuous Current:

20.000 at 600 pct all locations and 32.000 at 600 pct all locations

Trip Release Ambient Tempurature Rating:

50.0 degrees celsius all locations

NSN 5925-00-655-1171

Circuit Breaker Tripper - Page 2 of 2



Frequency In Hertz:
60.0 all locations
Unpackaged Unit Weight:
3.100 pounds
Terminal Type And Quantity:
6 compression
Shelf Life:
N/a
Unit Of Measure:

No

Fiig:

A030a0

Demilitarization: