NSN 5925-00-701-5063

Circuit Breaker - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5925-00-701-5063

| Casa Matariah |
|---|
| Case Material: |
| Metal |
| Pole Quantity: |
| 2 |
| Mounting Facility Type And Quantity: |
| 8 threaded hole |
| Thready Qty Per Inch (tpi): |
| 16 |
| Maximum Continuous Load Current Rating Per Pole: |
| 2600.0 amperes dc all locations |
| Operating Voltage Type And Rating Per Pole In Volts: |
| 355.0 dc all locations |
| Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: |
| 75000.0 dc all locations |
| Circuit Protection Type: |
| Overcurrent all locations |
| Trip Release Method: |
| Magnetic all locations |
| Trip Release Characteristic: |
| Instantaneous all locations and time delay all locations |
| Reset Method: |
| Electric |
| Main Contact Tripping Mechanism Type: |
| Trip free |
| Auxiliary Switch Function And Quantity: |
| 1 alarm |
| Thread Size: |
| 0.375 inches |
| Reset Actuator Voltage Rating And Type In Volts: |
| 250.0 dc |
| Inclosure Protection Type For Which Designed: |
| Shockproof |
| Thread Series Designator: |
| Unc |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A030a0 |
| |