NSN 5925-00-709-9437

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-709-9437

Overall Length:
3.156 inches
Body Width:
1.875 inches
Case Material:
Plastic
Center To Center Distance Between Terminals Parallel To Length:
1.062 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.406 inches
Mounting Surface To Terminal End Distance:
1.609 inches
Pole Quantity:
1
Mounting Facility Type And Quantity:
2 threaded hole
Storage Type:
General purpose warehouse
Thready Qty Per Inch (tpi):
32
Maximum Continuous Load Current Rating Per Pole:
120.0 amperes dc single location
Operating Voltage Type And Rating Per Pole In Volts:
28.0 dc single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
2000.0 dc single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Thermal single location
Trip Release Characteristic:
Time delay single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
130.0 single location
Reset Method:
Automatic
Internal Trip Release Configuration:
Series trip single location
Thread Size:
0.190 inches
Trip Delay Time In Seconds Per Rated Continuous Current:

8.000 at 200 pct single location and 100.000 at 200 pct single location

NSN 5925-00-709-9437

Circuit Breaker - Page 2 of 2



Trip Release Ambient Tempurature Rating:
77.0 degrees fahrenheit single location
Thread Series Designator:
Unf
Terminal Type And Quantity:
2 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0