NSN 5925-00-752-6909



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-00-752-6909 **Body Style:** Single pole type **Body Length:** 1.828 inches **Body Width:** 1.312 inches **Body Height:** 1.547 inches **Case Material: Plastic Center To Center Distance Between Terminals Parallel To Length:** 0.844 inches **Unthreaded Mounting Hole Diameter:** 0.174 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.574 inches

Pole Quantity:

1

Mounting Facility Type And Quantity:

2 unthreaded hole

Maximum Continuous Load Current Rating Per Pole:

30.0 amperes dc single location

Operating Voltage Type And Rating Per Pole In Volts:

30.0 dc single location

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

900.0 dc single location

Circuit Protection Type:

Overcurrent single location

Trip Release Method:

Thermal single location

Trip Release Characteristic:

Time delay single location

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 single location

Reset Method:

Automatic

Internal Trip Release Configuration:

Series trip single location

Trip Delay Time In Seconds Per Rated Continuous Current:

30.000 at 200 pct single location

Inclosure Protection Type For Which Designed:

Vaportight

NSN 5925-00-752-6909

Circuit Breaker - Page 2 of 2



Trip Release Ambie	nt Tempurature Rating
25.0 degrees celsius	single location

Terminal Type And Quantity:

2 clip

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A030a0