NSN 5925-00-776-2620

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-776-2620

Body Style:

Single pole type

Body Length:

Between 1.782 inches and 1.844 inches

Body Width:

Between 1.157 inches and 1.219 inches

Body Height:

Between 1.676 inches and 1.738 inches

Case Material:

Plastic

Center To Center Distance Between Terminals Parallel To Length:

Between 1.064 inches and 1.126 inches

Unthreaded Mounting Hole Diameter:

0.174 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.543 inches and 1.605 inches

Pole Quantity:

1

Mounting Facility Type And Quantity:

2 unthreaded hole

Maximum Continuous Load Current Rating Per Pole:

15.0 amperes dc single location

Operating Voltage Type And Rating Per Pole In Volts:

30.0 dc single location

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

600.0 dc single location

Circuit Protection Type:

Overcurrent single location

Trip Release Method:

Thermal single location

Trip Release Characteristic:

Time delay single location

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

138.0 single location

Reset Method:

Automatic

Internal Trip Release Configuration:

Series trip single location

Trip Delay Time In Seconds Per Rated Continuous Current:

30.000 at 200 pct single location

Inclosure Protection Type For Which Designed:

Vibration resistant and shock resistant and waterproof and dustproof and fungus resistant

NSN 5925-00-776-2620

Circuit Breaker - Page 2 of 2



Trip Release Ambient Tempurature Rating:

25.0 degrees celsius single location

Unpackaged Unit Weight:

2.250 ounces

Test Data Document:

81349-mil-c-13516 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

2 pin

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A030a0