

View Online at <https://aerobasegroup.com/nsn/5925-00-833-7952>

Body Style:

Single pole type

Body Length:

9.375 inches

Body Width:

2.750 inches

Body Height:

4.313 inches

Case Material:

Plastic

Pole Quantity:

2

Arc Quenching Method:

Deion

Mounting Facility Type And Quantity:

4 threaded hole

Maximum Continuous Load Current Rating Per Pole:

15.0 amperes ac all locations and 15.0 amperes dc all locations

Operating Voltage Type And Rating Per Pole In Volts:

600.0 ac all locations and 250.0 dc all locations

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

15000.0 ac all locations and 15000.0 dc all locations

Circuit Protection Type:

Overcurrent all locations

Trip Release Method:

Thermal-magnetic all locations

Trip Release Characteristic:

Instantaneous all locations and time delay all locations

Reset Method:

Manual

Manual Actuator Type And Quantity:

1 toggle

Trip Release Duty Cycle:

Continuous all locations

Trip Delay Time In Seconds Per Rated Continuous Current:

200.000 at 125 pct all locations and 18.000 at 200 pct all locations and 0.700 at 300 pct all locations

Trip Release Ambient Temperature Rating:

25.0 degrees celsius all locations

Precious Material:

Silver

Terminal Type And Quantity:

4 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0