## NSN 5925-00-850-4536

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-850-4536

View Online at https://aerobasegroup.com/nsn/5925-00-850-4536
Body Style:
Rectangular dimensional envelope
Overall Length:
3.719 inches
Overall Height:
1.000 inches
Overall Width:
2.375 inches
Case Material:
Plastic
Pole Quantity:
1
Mounting Facility Type And Quantity:
2 terminal
Storage Type:
General purpose warehouse
Maximum Continuous Load Current Rating Per Pole:
15.0 amperes ac single location
Operating Voltage Type And Rating Per Pole In Volts:
240.0 ac single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
5000.0 ac single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Thermal-magnetic single location
Trip Release Characteristic:
Time delay single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
125.0 single location
Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:
1 toggle
Actuator Function:
Trip-reset
Actuator Position Designation:
At pole one
Trip Delay Time In Seconds Per Rated Continuous Current:

3.000 at 200 pct single location

## NSN 5925-00-850-4536

Circuit Breaker - Page 2 of 2



## Inclosure Protection Type For Which Designed: Fungus resistant Trip Release Ambient Tempurature Rating: 25.0 degrees celsius single location Frequency In Hertz: 60.0 single location Terminal Type And Quantity: 2 pin Shelf Life: N/a Unit Of Measure: --Demilitarization: No

Fiig: A030a0