NSN 5925-00-869-6385



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-00-869-6385 **Body Style:** Rectangular dimensional envelope **Overall Length:** 6.312 inches **Overall Height:** 4.156 inches **Overall Width:** 2.750 inches **Case Material: Plastic Unthreaded Mounting Hole Diameter:** 0.187 inches **Pole Quantity: Mounting Facility Type And Quantity:** 2 unthreaded hole Storage Type: General purpose warehouse **Maximum Continuous Load Current Rating Per Pole:** 90.0 amperes ac all locations and 90.0 amperes dc all locations **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac all locations and 125.0 dc all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 7500.0 ac all locations and 5000.0 dc all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal-magnetic all locations **Trip Release Characteristic:** Time delay all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 toggle **Actuator Function:**

Trip-reset

Actuator Position Designation:

Between pole one and two

NSN 5925-00-869-6385

Circuit Breaker - Page 2 of 2



Trip	Delay	Time	In	Seconds	Per	Rated	Continuous	Current:

100.000 at 200 pct all locations and 190.000 at 200 pct all locations

Inclosure Protection Type For Which Designed:

Fungus resistant

Trip Release Ambient Tempurature Rating:

40.0 degrees celsius all locations

Frequency In Hertz:

60.0 all locations

Test Data Document:

81348-w-c-375 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal Type And Quantity:

4 compression

Specification Data:

81348-w-c-375/11 government specification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A030a0