NSN 5925-00-896-0347

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-896-0347 **Overall Length:** 6.218 inches **Overall Height:** 2.750 inches **Overall Width:** 3.406 inches **Case Material:** Plastic **Unthreaded Mounting Hole Diameter:** 0.219 inches **Fragility Factor:** Moderately rugged **Pole Quantity: Arc Quenching Method: Mounting Facility Type And Quantity:** 4 unthreaded hole Storage Type: General purpose warehouse **Maximum Continuous Load Current Rating Per Pole:** 15.0 amperes ac all locations and 15.0 amperes dc all locations **Operating Voltage Type And Rating Per Pole In Volts:** 480.0 ac all locations and 250.0 dc all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 15000.0 ac all locations and 10000.0 dc all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal-magnetic all locations **Trip Release Characteristic:** Instantaneous all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 toggle

Trip-reset

Actuator Function:

NSN 5925-00-896-0347

Circuit Breaker - Page 2 of 2



Actuator Position Designation:
At pole one
Inclosure Protection Type For Which Designed:
Dustproof
Trip Release Ambient Tempurature Rating:
40.0 degrees celsius all locations
Frequency In Hertz:
60.0 all locations
Terminal Type And Quantity:
4 compression
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0