## NSN 5925-00-897-9911

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-897-9911

Overall Length:
2.000 inches
Body Width:
1.187 inches
Case Material:
Plastic
Center To Center Distance Between Terminals Parallel To Length:
0.640 inches
Unthreaded Mounting Hole Diameter:
0.250 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.574 inches
Mounting Surface To Terminal End Distance:
1.234 inches
Pole Quantity:
1
Mounting Facility Type And Quantity:
2 unthreaded hole
Storage Type:
General purpose warehouse
Maximum Continuous Load Current Rating Per Pole:
5.0 amperes dc single location
Operating Voltage Type And Rating Per Pole In Volts:
30.0 dc single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
3000.0 dc single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Thermal single location
Trip Release Characteristic:
Time delay single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
130.0 single location
Reset Method:
Automatic
Internal Trip Release Configuration:
Series trip single location
Trip Delay Time In Seconds Per Rated Continuous Current:
30.000 at 200 pct single location
Inclosure Protection Type For Which Designed:

Fungus resistant and moisture resistant

## NSN 5925-00-897-9911

Circuit Breaker - Page 2 of 2



## Trip Release Ambient Tempurature Rating: 25.0 degrees celsius single location Unpackaged Unit Weight: 0.061 pounds Terminal Type And Quantity: 2 screw Shelf Life: N/a Unit Of Measure: --Demilitarization: No

Fiig: A030a0