NSN 5925-00-963-6962

Circuit Breaker - Page 1 of 2

Trip-reset



View Online at https://aerobasegroup.com/nsn/5925-00-963-6962

Body Style:
Single pole type
Body Length:
3.500 inches
Body Width:
0.969 inches
Body Height:
2.312 inches
Case Material:
Plastic
Boss Height:
0.188 inches
Pole Quantity:
1
Arc Quenching Method:
Magnetic blowout
Mounting Facility Type And Quantity:
2 terminal
Storage Type:
General purpose warehouse
Maximum Continuous Load Current Rating Per Pole:
10.0 amperes ac single location
Operating Voltage Type And Rating Per Pole In Volts:
125.0 ac single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
5000.0 ac single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Magnetic-hydraulic single location
Trip Release Characteristic:
Instantaneous single location and time delay single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
130.0 single location
Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:
1 toggle
Actuator Function:

NSN 5925-00-963-6962

Circuit Breaker - Page 2 of 2

Fiig: A030a0



Actuator Position Designation:
At pole one
Internal Trip Release Configuration:
Series trip single location
Trip Delay Time In Seconds Per Rated Continuous Current:
25.000 at 200 pct single location and 150.000 $$ at 200 pct single location
Frequency In Hertz:
400.0 single location
Terminal Type And Quantity:
1 clip and 1 compression
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No