## NSN 5925-00-965-8495

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-965-8495 **Overall Length:** 13.093 inches **Overall Height:** 9.625 inches **Overall Width:** 9.625 inches **Case Material:** Metal **Unthreaded Mounting Hole Diameter:** 0.281 inches **Pole Quantity: Arc Quenching Method: Mounting Facility Type And Quantity:** 4 unthreaded hole **Maximum Continuous Load Current Rating Per Pole:** 20.0 amperes ac all locations **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 7500.0 ac all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal all locations **Trip Release Characteristic:** Instantaneous all locations and time delay all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 115.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 toggle **Actuator Function:** Trip-reset **Thread Size:** 

**Trip Release Duty Cycle:** Continuous all locations

0.250 inches

## NSN 5925-00-965-8495

Circuit Breaker - Page 2 of 2



## **Trip Delay Time In Seconds Per Rated Continuous Current:**

30.000 at 150 pct all locations and 240.000 at 150 pct all locations and 3.000 at 500 pct all locations and 8.000 at 500 pct all locations

## **Trip Release Ambient Tempurature Rating:**

25.0 degrees celsius all locations

**Special Features:** 

Mtg holes on 11.750 in. By 8.000 in. Mtg centers

**Precious Material:** 

Silver

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A030a0