## NSN 5925-00-968-7391

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-00-968-7391 **Overall Length:** 1.750 inches **Overall Height:** 1.140 inches **Overall Width:** 0.625 inches **Case Material:** Metal **Pole Quantity: Arc Quenching Method:** Air **Mounting Facility Type And Quantity:** 1 threaded bushing Thready Qty Per Inch (tpi): 32 **Maximum Continuous Load Current Rating Per Pole:** 2.0 amperes dc single location **Operating Voltage Type And Rating Per Pole In Volts:** 50.0 dc single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Magnetic single location **Trip Release Characteristic:** Time delay single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type: Manual Actuator Type And Quantity:** 1 toggle **Actuator Function:** Reset **Thread Size:** 

0.375 inches

**Trip Delay Time In Seconds Per Rated Continuous Current:** 

1.000 at 125 pct single location and 4.000 at 125 pct single location

**Inclosure Protection Type For Which Designed:** 

Shockproof and vibrationproof

## NSN 5925-00-968-7391

Circuit Breaker - Page 2 of 2



inread Series Designator:
Unef
Terminal Type And Quantity:
4 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0