

View Online at <https://aerobasegroup.com/nsn/5925-01-019-8910>

Body Style:

Multipole-single actuator type

Body Length:

6.3125 inches

Body Width:

4.125 inches

Body Height:

3.1875 inches

Case Material:

Plastic

Center To Center Distance Between Terminals Parallel To Length:

4.87501 inches

Center To Center Distance Between Terminals Parallel To Width:

1.375 inches

Boss Height:

0.90625 inches

Pole Quantity:

3

Features Provided:

Adjustable trip release and interchangeable trip release

Maximum Continuous Load Current Rating Per Pole:

70.0 amperes ac all locations

Operating Voltage Type And Rating Per Pole In Volts:

600.0 ac all locations and 250.0 dc all locations

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

18000.0 ac all locations and 20000.0 dc all locations

Circuit Protection Type:

Overcurrent all locations

Trip Release Method:

Thermal-magnetic all locations

Trip Release Characteristic:

Instantaneous all locations and time delay all locations

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Trip free

Manual Actuator Type And Quantity:

1 toggle

Actuator Function:

Reset

Trip Delay Time In Seconds Per Rated Continuous Current:

88.000 at 200 pct all locations and 350.000 at 200 pct all locations and 27.500 at 300 pct all locations and 140.000 at 300 pct all locations and 14.500 at 400 pct all locations and 77.500 at 400 pct all locations and 7.500 at 500 pct all locations and 47.500 at 500 pct all locations

Trip Release Ambient Temperature Rating:

10.0 degrees celsius all locations and 50.0 degrees celsius all locations

Terminal Type And Quantity:

3 screw base

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0