NSN 5925-01-073-7034

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-073-7034

View Online at https://aerobasegroup.com/nsn/5925-01-073-7	'034
Body Style:	
Multipole-multiple actuator type	
Body Length:	
Between 3.025 inches and 3.065 inches	
Body Width:	
Between 3.025 inches and 3.065 inches	
Body Height:	
Between 2.371 inches and 2.433 inches	
Case Material:	
Plastic	
Center To Center Distance Between Terminals Parallel To	Width:
0.740 inches	
Fragility Factor:	
Moderately rugged	
Boss Height:	
0.188 inches	
Pole Quantity:	
3	
Mounting Facility Type And Quantity:	
6 terminal	
Storage Type:	
General purpose warehouse	
Special Handling Feature:	
Magnetic	
Maximum Continuous Load Current Rating Per Pole:	
30.0 amperes ac all locations	
Operating Voltage Type And Rating Per Pole In Volts:	
240.0 ac all locations	
Maximum Interrupting Capacity Current Type And Rating	Per Pole In Amps:
10000.0 ac all locations	
Circuit Protection Type:	
Overcurrent all locations	
Trip Release Method:	
Thermal-magnetic all locations	
Trip Release Characteristic:	
Time delay all locations	
Ultimate Trip Rating Of Continuous Current Rating Per Po	ole In Percent:
135.0 all locations	
Reset Method:	
Manual	
Main Contact Tripping Mechanism Type:	

Trip free

NSN 5925-01-073-7034

Circuit Breaker - Page 2 of 2



Manual Actuator Type And Quantity:
3 toggle
Actuator Function:
Trip-reset
Actuator Position Designation:
At each pole
External Actuator Linkage Arrangement:
One, two, and three linked
Trip Delay Time In Seconds Per Rated Continuous Current:
2.000 at 200 pct all locations
Trip Release Ambient Tempurature Rating:
40.0 degrees celsius all locations
Frequency In Hertz:
60.0 all locations
Test Data Document:
31348-w-c-375 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Ferminal Type And Quantity:
3 clip and 3 compression
Specification Data:
31348-w-c-375/7 government specification
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No
Filg:
A030a0