NSN 5925-01-080-1764



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-080-1764 **Body Style:** Single pole type **Body Length:** 3.000 inches **Body Width:** 0.730 inches **Body Height:** 2.580 inches **Case Material: Plastic Boss Height:** 0.250 inches **Pole Quantity: Mounting Facility Type And Quantity:** 2 terminal **Maximum Continuous Load Current Rating Per Pole:** 15.0 amperes ac single location **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac single location Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 10000.0 ac single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Magnetic single location **Trip Release Characteristic:** Time delay single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 toggle **Actuator Function:** Trip-reset

Actuator Position Designation:

At pole one

Internal Trip Release Configuration:

Series trip single location

NSN 5925-01-080-1764

Circuit Breaker - Page 2 of 2



Trip	Delay	Time	ln	Seconds	Per	Rated	Continuous	Current:
------	-------	------	----	---------	-----	-------	------------	-----------------

120.000 at 200 pct single location

Inclosure Protection Type For Which Designed:

Corrosion resistant

Frequency In Hertz:

60.0 single location

Terminal Type And Quantity:

1 clip and 1 screw

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0