NSN 5925-01-107-8786

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-107-8786 **Body Style:** Single pole type **Mounting Slot Width:** 0.094 inches **Body Length:** 3.125 inches **Body Width:** 1.000 inches **Body Height:** 2.375 inches **Case Material: Plastic Boss Height:** 0.187 inches **Pole Quantity: Mounting Facility Type And Quantity:** 2 slot Storage Type: General purpose warehouse **Maximum Continuous Load Current Rating Per Pole:** 15.0 amperes ac single location **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac single location Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 10000.0 ac single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Thermal-magnetic single location **Trip Release Characteristic:** Instantaneous single location and time delay single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 135.0 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 toggle

Actuator Function:

Trip-reset

NSN 5925-01-107-8786

Circuit Breaker - Page 2 of 2



Actuator Position Designation: At pole one **Trip Delay Time In Seconds Per Rated Continuous Current:** 120.000 at 200 pct single location **Inclosure Protection Type For Which Designed:** Fungus resistant **Trip Release Ambient Tempurature Rating:** 40.0 degrees celsius single location Frequency In Hertz:

60.0 single location

Terminal Type And Quantity:

1 clip and 1 screw base

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A030a0