## NSN 5925-01-109-8822

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-109-8822 **Body Style:** Single pole type **Bushing Length:** 0.380 inches **Body Length:** 1.562 inches **Body Width:** 0.625 inches **Case Material:** Metal **Center To Center Distance Between Terminals Parallel To Length:** 0.906 inches **Mounting Surface To Terminal End Distance:** 1.700 inches **Pole Quantity: Mounting Facility Type And Quantity:** 1 threaded bushing w/panel seal Storage Type: General purpose warehouse Thready Qty Per Inch (tpi): 32 **Maximum Continuous Load Current Rating Per Pole:** 7.5 amperes ac single location and 7.5 amperes dc single location **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac single location and 50.0 dc single location Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 300.0 ac single location and 500.0 dc single location **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Magnetic all locations **Trip Release Characteristic:** Instantaneous all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 135.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free

**Manual Actuator Type And Quantity:** 

1 toggle

## **NSN 5925-01-109-8822** Circuit Breaker - Page 2 of 2



Actuator Function:
Trip-reset
Actuator Position Designation:
At pole one
Internal Trip Release Configuration:
Series trip all locations
Thread Size:
0.375 inches
Inclosure Protection Type For Which Designed:
Hermetically sealed
Frequency In Hertz:
400.0 single location
Test Data Document:
81349-mil-c-39019 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specificatio
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unef
Terminal Type And Quantity:
2 wire hook
Specification Data:
81349-mil-c-39019/1 government specification
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A030a0
Mil-std (military Standard):
Mil-prf-39019 spec.