NSN 5925-01-144-1230

Circuit Breaker - Page 1 of 2



view Online at https://aerobasegroup.com/hsn/5925-01-144-1230
Body Style:
Rectangular dimensional envelope
Overall Length:
Between 1.235 inches and 1.265 inches
Overall Height:
Between 0.425 inches and 0.455 inches
Overall Width:
Between 0.490 inches and 0.510 inches
Case Material:
Plastic
Fragility Factor:
Moderately rugged
End Application:
2320-01-121-2102
Pole Quantity:
1
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 terminal
Storage Type:
General purpose warehouse
Special Handling Feature:
Magnetic
Maximum Continuous Load Current Rating Per Pole:
10.0 amperes dc single location
Operating Voltage Type And Rating Per Pole In Volts:
12.0 dc single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps
1000.0 dc single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Thermal-magnetic single location
Trip Release Characteristic:
Instantaneous single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
125.0 single location
Reset Method:
Manual

Trip free

Main Contact Tripping Mechanism Type:

NSN 5925-01-144-1230

Circuit Breaker - Page 2 of 2



Inclosure Protection Type For Which Designed:
Dustproof
Trip Release Ambient Tempurature Rating:
25.0 degrees celsius single location
Terminal Type And Quantity:
2 quick disconnect, male
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0