

View Online at <https://aerobasegroup.com/nsn/5925-01-144-1231>

Body Style:

Rectangular dimensional envelope

Overall Length:

Between 1.235 inches and 1.265 inches

Overall Height:

Between 0.425 inches and 0.455 inches

Overall Width:

Between 0.490 inches and 0.510 inches

Case Material:

Plastic

Fragility Factor:

Moderately rugged

End Application:

2320-01-121-2102

Pole Quantity:

1

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

2 terminal

Storage Type:

General purpose warehouse

Special Handling Feature:

Magnetic

Maximum Continuous Load Current Rating Per Pole:

25.0 amperes dc single location

Operating Voltage Type And Rating Per Pole In Volts:

12.0 dc single location

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

1000.0 dc single location

Circuit Protection Type:

Overcurrent single location

Trip Release Method:

Thermal-magnetic single location

Trip Release Characteristic:

Instantaneous single location

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 single location

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Trip free

Actuator Function:

Trip-reset

Inclosure Protection Type For Which Designed:

Dustproof

Trip Release Ambient Temperature Rating:

25.0 degrees celsius single location

Terminal Type And Quantity:

2 quick disconnect, male

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0