NSN 5925-01-149-4269

Circuit Breaker Tripper - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-149-4269

Body Style:
Rectangular dimensional envelope
Overall Length:
12.000 inches
Overall Height:
7.062 inches
Overall Width:
8.000 inches
Pole Quantity:
3
Mounting Facility Type And Quantity:
4 threaded hole
Storage Type:
General purpose warehouse
Thready Qty Per Inch (tpi):
20
Maximum Continuous Load Current Rating Per Pole:
250.0 amperes ac all locations
Operating Voltage Type And Rating Per Pole In Volts:
500.0 ac all locations
Circuit Protection Type:
Overcurrent all locations
Trip Release Method:
Thermal-magnetic all locations
Trip Release Characteristic:
Instantaneous all locations and time delay all locations
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
150.0 all locations
Manual Actuator Type And Quantity:
1 toggle
Actuator Function:
Trip-reset
Actuator Position Designation:
At pole two
Thread Size:
0.250 inches
Trip Delay Time In Seconds Per Rated Continuous Current:
1800.000 at 200 pct all locations
Trip Release Ambient Tempurature Rating:
50.0 degrees celsius all locations
Frequency In Hertz:

400.0 all locations

NSN 5925-01-149-4269Circuit Breaker Tripper - Page 2 of 2



Inread Series Designator:
Unc
Terminal Type And Quantity:
6 compression
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0