## NSN 5925-01-160-9068

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-160-9068

**Body Length:** 

Between 2.480 inches and 2.500 inches

**Body Width:** 

2.265 inches

**Case Material:** 

Plastic

Center To Center Distance Between Terminals Parallel To Length:

Between 1.925 inches and 1.955 inches

**Center To Center Distance Between Terminals Parallel To Width:** 

Between 0.735 inches and 0.765 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 2.050 inches and 2.070 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 0.735 inches and 0.765 inches

**Boss Height:** 

Between 0.135 inches and 0.165 inches

**Mounting Surface To Terminal End Distance:** 

2.490 inches

**Pole Quantity:** 

3

**Mounting Facility Type And Quantity:** 

6 threaded hole

**Maximum Continuous Load Current Rating Per Pole:** 

5.0 amperes ac all locations

**Operating Voltage Type And Rating Per Pole In Volts:** 

277.0 ac all locations

**Circuit Protection Type:** 

Overcurrent all locations

Trip Release Method:

Magnetic all locations

**Trip Release Characteristic:** 

Time delay all locations

**Reset Method:** 

Manual

**Manual Actuator Type And Quantity:** 

3 toggle

**Actuator Function:** 

Trip-reset

**Internal Trip Release Configuration:** 

Series trip all locations

**Thread Size:** 

0.138 inches

## NSN 5925-01-160-9068

Circuit Breaker - Page 2 of 2



Frequency In Hertz:
50.0 all locations or 60.0 all locations
Thread Series Designator:
Unc
Terminal Type And Quantity:
6 threaded stud
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A030a0