## NSN 5925-01-171-1673



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-171-1673 **Overall Length:** 22.000 inches **Overall Height:** 7.438 inches **Overall Width:** 9.000 inches **Case Material:** Plastic **Switch Contact Arrangement:** Single pole, double throw **Pole Quantity: Mounting Facility Type And Quantity:** 1 clip **Maximum Continuous Load Current Rating Per Pole:** 600.0 amperes dc all locations **Operating Voltage Type And Rating Per Pole In Volts:** 120.0 dc all locations **Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:** 50000.0 dc all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal-magnetic all locations **Trip Release Characteristic:** Instantaneous all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type: Manual Actuator Type And Quantity:** 1 toggle **Actuator Function:** Trip-reset **Actuator Position Designation:** 

At pole two

Auxiliary Switch Function And Quantity:

2 alarm

Switch Location And Position Designation:

Internal at pole one

## NSN 5925-01-171-1673

Circuit Breaker - Page 2 of 2



nclosure Protection	Type	For Which	Designed:
---------------------	------	-----------	-----------

Shock resistant and vibration resistant

**Trip Release Ambient Tempurature Rating:** 

50.0 degrees celsius all locations

**Special Features:** 

Auxiliary switches provide 3 normally open contacts and 1 normally closed contact

**Unpackaged Unit Weight:** 

56.000 pounds

**Terminal Type And Quantity:** 

6 compression

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A030a0