

View Online at <https://aerobasegroup.com/nsn/5925-01-171-1673>

Overall Length:

22.000 inches

Overall Height:

7.438 inches

Overall Width:

9.000 inches

Case Material:

Plastic

Switch Contact Arrangement:

Single pole, double throw

Pole Quantity:

3

Mounting Facility Type And Quantity:

1 clip

Maximum Continuous Load Current Rating Per Pole:

600.0 amperes dc all locations

Operating Voltage Type And Rating Per Pole In Volts:

120.0 dc all locations

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

50000.0 dc all locations

Circuit Protection Type:

Overcurrent all locations

Trip Release Method:

Thermal-magnetic all locations

Trip Release Characteristic:

Instantaneous all locations

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 all locations

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Trip free

Manual Actuator Type And Quantity:

1 toggle

Actuator Function:

Trip-reset

Actuator Position Designation:

At pole two

Auxiliary Switch Function And Quantity:

2 alarm

Switch Location And Position Designation:

Internal at pole one

Inclsoure Protection Type For Which Designed:

Shock resistant and vibration resistant

Trip Release Ambient Tempurature Rating:

50.0 degrees celsius all locations

Special Features:

Auxiliary switches provide 3 normally open contacts and 1 normally closed contact

Unpackaged Unit Weight:

56.000 pounds

Terminal Type And Quantity:

6 compression

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0