NSN 5925-01-189-7513

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-189-7513

Body Style:

Rectangular dimensional envelope

Overall Length:

16.500 inches

Overall Height:

4.750 inches

Overall Width:

9.000 inches

Case Material:

Plastic

Unthreaded Mounting Hole Diameter:

0.406 inches

Pole Quantity:

3

Mounting Facility Type And Quantity:

6 unthreaded hole

Storage Type:

General purpose warehouse

Features Provided:

Adjustable trip release

Maximum Continuous Load Current Rating Per Pole:

1600.0 amperes ac all locations

Operating Voltage Type And Rating Per Pole In Volts:

500.0 ac all locations

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

75000.0 ac all locations

Circuit Protection Type:

Overcurrent all locations

Trip Release Method:

Thermal-magnetic all locations

Trip Release Characteristic:

Instantaneous all locations

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

140.0 all locations

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Trip free

Manual Actuator Type And Quantity:

1 toggle

Actuator Function:

Trip-reset

NSN 5925-01-189-7513

Circuit Breaker - Page 2 of 2



Actuator Position Designation: At pole two Adjustable Trip Setting Current Range Per Pole In Amps: +4000.0/+12000.0 ac all locations Inclosure Protection Type For Which Designed: Fungus resistant Trip Release Ambient Tempurature Rating: 50.0 degrees celsius all locations **Frequency In Hertz:** 60.0 all locations **Terminal Type And Quantity:** 6 bus bar Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A030a0