NSN 5925-01-200-2709



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-200-2709 **Body Style:** Rectangular dimensional envelope **Overall Length:** 25.937 inches **Overall Height:** 15.000 inches **Overall Width:** 21.500 inches **Case Material:** Plastic **Pole Quantity: Arc Quenching Method:** Air **Mounting Facility Type And Quantity:** 8 unthreaded hole Storage Type: General purpose warehouse **Features Provided:** Adjustable trip release **Maximum Continuous Load Current Rating Per Pole:** 400.0 amperes ac all locations **Operating Voltage Type And Rating Per Pole In Volts:** 500.0 ac all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 34000.0 ac all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal all locations **Trip Release Characteristic:** Instantaneous all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 150.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 toggle

Actuator E

Actuator Function:

Trip-reset

NSN 5925-01-200-2709

Circuit Breaker - Page 2 of 2

Fiig: A030a0



Actuator Position Designation:
At pole one
Adjustable Trip Setting Current Range Per Pole In Amps:
+640.0/+960.0 ac all locations
Internal Trip Release Configuration:
Series trip all locations
Inclosure Protection Type For Which Designed:
Dustproof
Trip Release Ambient Tempurature Rating:
40.0 degrees celsius all locations
Frequency In Hertz:
60.0 all locations
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No