

View Online at <https://aerobasegroup.com/nsn/5925-01-222-2245>

**Body Style:**

Rectangular dimensional envelope

**Overall Length:**

8.438 inches

**Overall Height:**

3.785 inches

**Overall Width:**

5.625 inches

**Unthreaded Mounting Hole Diameter:**

Between 0.203 inches and 0.438 inches

**Fragility Factor:**

Moderately rugged

**Pole Quantity:**

3

**Arc Quenching Method:**

Deion

**Mounting Facility Type And Quantity:**

5 unthreaded hole

**Storage Type:**

General purpose warehouse

**Features Provided:**

Adjustable trip release

**Maximum Continuous Load Current Rating Per Pole:**

175.0 amperes ac all locations

**Operating Voltage Type And Rating Per Pole In Volts:**

500.0 ac all locations

**Circuit Protection Type:**

Overcurrent all locations

**Trip Release Method:**

Thermal-magnetic all locations

**Trip Release Characteristic:**

Instantaneous and time delay all locations

**Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:**

105.00 all locations

**Adjustable Trip Setting Current Range Per Pole In Amps:**

+650.0 to 1300.0 ac all locations

**Trip Delay Time In Seconds Per Rated Continuous Current:**

25.000 at 600 pct all locations

**Trip Release Ambient Temperature Rating:**

50.0 degrees celsius all locations

**Criticality Code Justification:**

Feat

**Special Features:**

For use with new style a fuses only

**Frequency In Hertz:**

60.0 all locations

**Terminal Type And Quantity:**

6 screw

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A030a0