NSN 5925-01-228-0602

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-228-0602

9
Body Style:
Rectangular dimensional envelope
Overall Length:
9.500 inches
Overall Height:
4.500 inches
Overall Width:
4.000 inches
Case Material:
Plastic
Unthreaded Mounting Hole Diameter:
0.164 inches
Fragility Factor:
Moderately rugged
Pole Quantity:
3
Mounting Facility Type And Quantity:
2 unthreaded hole
Storage Type:
General purpose warehouse
Special Handling Feature:
Magnetic
Maximum Continuous Load Current Rating Per Pole:
225.0 amperes ac all locations
Operating Voltage Type And Rating Per Pole In Volts:
240.0 ac all locations
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
25000.0 ac all locations
Circuit Protection Type:
Overcurrent all locations
Trip Release Method:
Thermal-magnetic all locations
Trip Release Characteristic:
Instantaneous all locations
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
125.0 all locations
Reset Method:
Manual
Main Contact Tripping Mechanism Type:
Trip free
Manual Actuator Type And Quantity:

1 toggle

NSN 5925-01-228-0602

Circuit Breaker - Page 2 of 2



Actuator Function:
Trip-reset
Actuator Position Designation:
At pole two
Inclosure Protection Type For Which Designed:
Fungus proof
Trip Release Ambient Tempurature Rating:
40.0 degrees celsius all locations
Frequency In Hertz:
60.0 all locations
Unpackaged Unit Weight:
12.000 pounds
Terminal Type And Quantity:
6 quick disconnect, male
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A030a0