NSN 5925-01-228-1507



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-228-1507 **Body Style:** Multipole-single actuator type **Bushing Length:** 0.625 inches **Body Length:** 1.562 inches **Body Width:** 1.281 inches **Case Material:** Metal **Center To Center Distance Between Terminals Parallel To Length:** 0.875 inches **Center To Center Distance Between Terminals Parallel To Width:** 0.625 inches **Mounting Surface To Terminal End Distance:** 1.780 inches **Pole Quantity:** 2 **Mounting Facility Type And Quantity:** 1 threaded bushing w/panel seal Thready Qty Per Inch (tpi): 32 **Maximum Continuous Load Current Rating Per Pole:** 7.500 amperes ac all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Magnetic all locations **Trip Release Characteristic:** Time delay all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Internal Trip Release Configuration:** Series trip all locations **Thread Size:** 0.375 inches **Product Name:** Magnetic circuit breaker

Frequency In Hertz:

50.0 all locations or 60.0 all locations

NSN 5925-01-228-1507

Circuit Breaker - Page 2 of 2

A030a0



Unpackaged Unit Weight:
1.800 ounces
Special Test Features:
Complies with interstate electronics corporation tech standards
Thread Series Designator:
Unef
Terminal Type And Quantity:
4 wire hook
Reference Number Differentiating Characteristics:
As differentiated by special test features
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia: