NSN 5925-01-237-6865



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-237-6865 **Body Style:** Single pole type **Bushing Length:** Between 0.332 inches and 0.380 inches **Body Length:** 1.937 inches **Body Width:** 1.562 inches **Case Material:** Metal **Center To Center Distance Between Terminals Parallel To Length:** 0.906 inches **Mounting Surface To Terminal End Distance:** 1.828 inches **Pole Quantity: Mounting Facility Type And Quantity:** 1 threaded bushing Thready Qty Per Inch (tpi): 32 **Maximum Continuous Load Current Rating Per Pole:** 5.0 amperes ac all locations and 5.0 amperes dc all locations **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac all locations and 50.0 dc all locations Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 300.0 ac all locations and 500.0 dc all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Magnetic all locations **Trip Release Characteristic:** Time delay all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 200.0 all locations **Ultimate Trip Time Per Pole In Seconds:** 0.950 all locations **Reset Method:** Manual

Main Contact Tripping Mechanism Type: Trip free

Internal Trip Release Configuration:

Series trip all locations

NSN 5925-01-237-6865

Circuit Breaker - Page 2 of 2

A030a0



Thread Size:
0.375 inches
Trip Delay Time In Seconds Per Rated Continuous Current:
0.055 at 200 pct all locations and 0.950 at 200 pct all locations
Frequency In Hertz:
60.0 all locations or 400.0 all locations
Test Data Document:
81349-mil-c-39019 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Thread Series Designator:
Unef
Terminal Type And Quantity:
2 wire hook
Specification Data:
81349-mil-c-81349/5 government specification
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig: