NSN 5925-01-262-9032

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-262-9032
Body Style:
Rectangular dimensional envelope
Overall Length:
1.375 inches
Overall Height:
0.875 inches
Overall Width:
1.031 inches
Case Material:
Plastic
Fragility Factor:
Moderately rugged
End Application:
3930-01-076-4237
Pole Quantity:
1
Arc Quenching Method:
Magnetic blowout
Mounting Facility Type And Quantity:
2 terminal
Storage Type:
General purpose warehouse
Maximum Continuous Load Current Rating Per Pole:
10.0 amperes dc single location
Operating Voltage Type And Rating Per Pole In Volts:
12.0 dc single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
2000.0 dc single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Magnetic single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
125.0 single location
Reset Method:
Automatic
Main Contact Tripping Mechanism Type:
Trip free
Internal Trip Release Configuration:
Series trip single location
Inclosure Protection Type For Which Designed:

Dustproof

NSN 5925-01-262-9032

Circuit Breaker - Page 2 of 2



Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A030a0