NSN 5925-01-262-9032

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-262-9032

Body Style:

Rectangular dimensional envelope

Overall Length:

1.375 inches

Overall Height:

0.875 inches

Overall Width:

1.031 inches

Case Material:

Plastic

Fragility Factor:

Moderately rugged

End Application:

3930-01-076-4237

Pole Quantity:

1

Arc Quenching Method:

Magnetic blowout

Mounting Facility Type And Quantity:

2 terminal

Storage Type:

General purpose warehouse

Maximum Continuous Load Current Rating Per Pole:

10.0 amperes dc single location

Operating Voltage Type And Rating Per Pole In Volts:

12.0 dc single location

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

2000.0 dc single location

Circuit Protection Type:

Overcurrent single location

Trip Release Method:

Magnetic single location

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 single location

Reset Method:

Automatic

Main Contact Tripping Mechanism Type:

Trip free

Internal Trip Release Configuration:

Series trip single location

Inclosure Protection Type For Which Designed:

Dustproof

NSN 5925-01-262-9032

Circuit Breaker - Page 2 of 2



Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A030a0