NSN 5925-01-274-1294

Circuit Breaker Tripper - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-274-1294

Body Style:
Rectangular dimensional envelope
Overall Length:
10.000 inches
Overall Height:
4.062 inches
Overall Width:
4.125 inches
Unthreaded Mounting Hole Diameter:
0.190 inches
Fragility Factor:
Moderately rugged
End Application:
4920-01-082-1095
Pole Quantity:
3
Mounting Facility Type And Quantity:
4 unthreaded hole
Storage Type:
General purpose warehouse
Maximum Continuous Load Current Rating Per Pole:
50.0 amperes ac all locations
Operating Voltage Type And Rating Per Pole In Volts:
600.0 ac all locations
Circuit Protection Type:
Overcurrent all locations
Trip Release Method:
Thermal-magnetic all locations
Trip Release Characteristic:
Instantaneous all locations
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
125.0 all locations
Manual Actuator Type And Quantity:
1 toggle
Actuator Function:
Trip-reset
Actuator Position Designation:
At pole two
Trip Release Ambient Tempurature Rating:
40.0 degrees celsius all locations
Frequency In Hertz:

60.0 all locations

NSN 5925-01-274-1294

Circuit Breaker Tripper - Page 2 of 2



ı	In	na	cka	aed	Hn	۱it	W	nia	ht
L	,,,	μa	una	ueu	UII	Hι	vv	tıu	HIL.

2.500 pounds

Terminal Type And Quantity:

6 compression

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A030a0