

View Online at <https://aerobasegroup.com/nsn/5925-01-285-1968>

**Body Style:**

Multipole-multiple actuator type

**Body Length:**

82.0 millimeters

**Body Width:**

54.0 millimeters

**Body Height:**

70.0 millimeters

**Case Material:**

Plastic

**Center To Center Distance Between Terminals Parallel To Width:**

13.5 millimeters

**Unthreaded Mounting Hole Diameter:**

4.0 millimeters

**Fragility Factor:**

Moderately rugged

**Pole Quantity:**

3

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Storage Type:**

General purpose warehouse

**Special Handling Feature:**

Magnetic

**Maximum Continuous Load Current Rating Per Pole:**

3.2 amperes ac all locations

**Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:**

320.0 ac all locations

**Circuit Protection Type:**

Overcurrent all locations

**Trip Release Method:**

Thermal-magnetic all locations

**Trip Release Characteristic:**

Instantaneous all locations

**Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:**

125.0 all locations

**Reset Method:**

Manual

**Main Contact Tripping Mechanism Type:**

Trip free

**Manual Actuator Type And Quantity:**

2 push button

**Actuator Function:**

Trip-reset

**Actuator Position Designation:**

Between pole one and two and between pole two and three

**Inclsure Protection Type For Which Designed:**

General purpose

**Trip Release Ambient Temperature Rating:**

40.0 degrees celsius all locations

**Frequency In Hertz:**

50.0 all locations

**Terminal Type And Quantity:**

6 compression

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A030a0