## NSN 5925-01-287-6632

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-287-6632

View Online at https://aerobasegroup.com/nsn/5925-01-287-6632
Body Style:
Rectangular dimensional envelope
Overall Length:
4.260 inches
Overall Height:
1.200 inches
Overall Width:
3.250 inches
Case Material:
Plastic
Unthreaded Mounting Hole Diameter:
Between 0.167 inches and 0.177 inches
Pole Quantity:
1
Mounting Facility Type And Quantity:
2 unthreaded hole
Maximum Continuous Load Current Rating Per Pole:
50.0 amperes ac single location
Operating Voltage Type And Rating Per Pole In Volts:
115.0 ac single location
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
3600.0 ac single location
Circuit Protection Type:
Overcurrent single location
Trip Release Method:
Thermal single location
Auxiliary Trip Coil Voltage Type And Rating In Volts:
115.0 ac single location
Trip Release Characteristic:
Instantaneous single location
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
150.0 single location
Reset Method:
Electric
Main Contact Tripping Mechanism Type:
Trip free
Internal Trip Release Configuration:
Series trip w/auxiliary load terminal and remote trip feature single location
Trip Release Duty Cycle:

115.0 ac

Continuous single location

**Reset Actuator Voltage Rating And Type In Volts:** 

## NSN 5925-01-287-6632

Circuit Breaker - Page 2 of 2



Trip Release Ambient Tempurature Rating:
71.0 degrees celsius single location
Frequency In Hertz:

400.0 single location

**Terminal Type And Quantity:** 

2 threaded stud

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A030a0