NSN 5925-01-310-9632



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-310-9632 **Body Style:** Rectangular dimensional envelope **Overall Length:** 3.750 inches **Overall Height:** 1.000 inches **Overall Width:** 2.438 inches **Case Material:** Plastic **Pole Quantity: Mounting Facility Type And Quantity:** 2 clip Storage Type: General purpose warehouse **Maximum Continuous Load Current Rating Per Pole:** 70.0 amperes ac single location **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac single location Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps: 10000.0 ac single location **Circuit Protection Type:** Overcurrent single location **Trip Release Method:** Thermal-magnetic single location **Trip Release Characteristic:** Instantaneous single location **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 single location **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 1 toggle **Actuator Function:**

Trip-reset

Actuator Position Designation:

At pole one

Inclosure Protection Type For Which Designed:

Moisture proof and fungus proof

NSN 5925-01-310-9632

Circuit Breaker - Page 2 of 2



Trip Release Ambient Tempurature Rating:
40.0 degrees celsius single location
Frequency In Hertz:
60.0 single location
Terminal Type And Quantity:
2 compression
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A030a0