NSN 5925-01-311-3078

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-311-3078

#### **Body Style:**

Rectangular dimensional envelope

**Overall Length:** 

3.060 inches

## **Overall Height:**

2.000 inches

## **Overall Width:**

2.570 inches

#### **Case Material:**

Plastic

Fragility Factor:

Moderately rugged

#### **Pole Quantity:**

2

#### Arc Quenching Method:

### Magnetic blowout

Mounting Facility Type And Quantity:

4 terminal

### Storage Type:

General purpose warehouse

### **Special Handling Feature:**

Magnetic

### Maximum Continuous Load Current Rating Per Pole:

30.0 amperes ac all locations

### **Operating Voltage Type And Rating Per Pole In Volts:**

240.0 ac all locations

### Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

10000.0 ac all locations

### **Circuit Protection Type:**

Overcurrent all locations

#### **Trip Release Method:**

Magnetic all locations

#### **Trip Release Characteristic:**

Instantaneous all locations

### Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 all locations

## **Reset Method:**

Manual

## Main Contact Tripping Mechanism Type:

Trip free

### Manual Actuator Type And Quantity:

2 toggle

# **NSN 5925-01-311-3078** Circuit Breaker - Page 2 of 2

Aero	Base
	Group

Actuator Function:
Trip-reset
Actuator Position Designation:
At each pole
External Actuator Linkage Arrangement:
One and two linked
Internal Trip Release Configuration:
Series trip all locations
Inclosure Protection Type For Which Designed:
Dustproof
Frequency In Hertz:
60.0 all locations
Terminal Type And Quantity:
2 clip and 2 tab w/screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A030a0