## NSN 5925-01-312-6667



Circuit Breaker - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5925-01-312-6667 **Body Style:** Rectangular dimensional envelope **Overall Length:** 3.340 inches **Overall Height:** 2.000 inches **Overall Width:** 3.130 inches **Case Material: Plastic Fragility Factor:** Moderately rugged **Pole Quantity: Mounting Facility Type And Quantity:** 2 clip and 2 terminal Storage Type: General purpose warehouse **Maximum Continuous Load Current Rating Per Pole:** 20.0 amperes ac all locations **Operating Voltage Type And Rating Per Pole In Volts:** 240.0 ac all locations **Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:** 10000.0 ac all locations **Circuit Protection Type:** Overcurrent all locations **Trip Release Method:** Thermal-magnetic all locations **Trip Release Characteristic:** Instantaneous all locations **Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:** 125.0 all locations **Reset Method:** Manual **Main Contact Tripping Mechanism Type:** Trip free **Manual Actuator Type And Quantity:** 2 toggle **Actuator Function:** 

Trip-reset

**Actuator Position Designation:** 

At each pole

## NSN 5925-01-312-6667

Circuit Breaker - Page 2 of 2



External Actuator Linkage Arrangement:
One and two linked
Inclosure Protection Type For Which Designed:
General purpose
Trip Release Ambient Tempurature Rating:
50.0 degrees celsius all locations
Frequency In Hertz:
60.0 all locations
Terminal Type And Quantity:
2 clip and 2 screw
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A030a0