## NSN 5925-01-318-7846

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-318-7846

Overall Length:
18.620 inches
Overall Height:
20.620 inches
Overall Width:
18.620 inches
Case Material:
Metal
Unthreaded Mounting Hole Diameter:
0.690 inches
End Application:
Used on electrical distribution system onboard 140 ft wtgb vessels
Pole Quantity:
3
Mounting Facility Type And Quantity:
4 unthreaded hole
Maximum Continuous Load Current Rating Per Pole:
300.0 amperes ac all locations
Operating Voltage Type And Rating Per Pole In Volts:
440.0 ac all locations
Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:
42000.0 ac all locations
Circuit Protection Type:
Overcurrent all locations
Trip Release Method:
Solid state all locations
Trip Release Characteristic:
Instantaneous all locations and time delay all locations
Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:
125.0 all locations
Reset Method:
Electric
Main Contact Tripping Mechanism Type:
Trip free
Reset Actuator Voltage Rating And Type In Volts:
120.0 ac
Trip Delay Time In Seconds Per Rated Continuous Current:
2.400 at 600 pct all locations and 20.000 at 600 pct all locations
Frequency In Hertz:
60.0 all locations
Terminal Type And Quantity:

6 clip

## NSN 5925-01-318-7846

Circuit Breaker - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A030a0