# NSN 5925-01-353-1388

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-353-1388

#### **Body Style:**

Rectangular dimensional envelope

#### **Overall Length:**

4.125 inches

# **Overall Height:**

0.750 inches

# **Overall Width:**

3.125 inches

#### **Case Material:**

Plastic

Fragility Factor:

Moderately rugged

# Pole Quantity:

2

#### Mounting Facility Type And Quantity:

4 clamp

# Storage Type:

General purpose warehouse

# **Special Handling Feature:**

Magnetic

#### Maximum Continuous Load Current Rating Per Pole:

30.0 amperes ac all locations

#### **Operating Voltage Type And Rating Per Pole In Volts:**

480.0 ac all locations

#### Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

25000.0 ac all locations

#### **Circuit Protection Type:**

Overcurrent all locations

#### Trip Release Method:

Thermal-magnetic all locations

#### **Trip Release Characteristic:**

Instantaneous all locations

#### Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

138.0 all locations

#### **Reset Method:**

Manual

#### Main Contact Tripping Mechanism Type:

Trip free

#### Manual Actuator Type And Quantity:

1 toggle

#### **Actuator Function:**

Trip-reset

# NSN 5925-01-353-1388

Circuit Breaker - Page 2 of 2



Actuator Position Designation:

At pole one

Inclosure Protection Type For Which Designed:

General purpose

Trip Release Ambient Tempurature Rating:

25.0 degrees celsius all locations

# Frequency In Hertz:

60.0 all locations

#### Unpackaged Unit Weight:

24.000 pounds

# Terminal Type And Quantity:

4 compression

Shelf Life:

N/a

#### Unit Of Measure:

---

# Demilitarization:

No

## Fiig:

A030a0