

View Online at <https://aerobasegroup.com/nsn/5925-01-361-5434>

**Body Style:**

Rectangular dimensional envelope

**Overall Length:**

108.0 millimeters

**Overall Height:**

70.0 millimeters

**Overall Width:**

81.0 millimeters

**Case Material:**

Plastic

**Unthreaded Mounting Hole Diameter:**

18.0 millimeters

**Fragility Factor:**

Moderately rugged

**Pole Quantity:**

4

**Mounting Facility Type And Quantity:**

8 unthreaded hole

**Storage Type:**

General purpose warehouse

**Special Handling Feature:**

Magnetic

**Maximum Continuous Load Current Rating Per Pole:**

63.0 amperes ac all locations

**Operating Voltage Type And Rating Per Pole In Volts:**

50.0 ac all locations

**Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:**

20000.0 ac single location

**Circuit Protection Type:**

Overcurrent all locations

**Trip Release Method:**

Thermal-magnetic all locations

**Trip Release Characteristic:**

Instantaneous all locations

**Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:**

125.0 all locations

**Reset Method:**

Manual

**Main Contact Tripping Mechanism Type:**

Trip free

**Manual Actuator Type And Quantity:**

4 toggle

**Actuator Function:**

Trip-reset

**Actuator Position Designation:**

At each pole

**External Actuator Linkage Arrangement:**

One, two, three, and four linked

**Inclosure Protection Type For Which Designed:**

General purpose

**Trip Release Ambient Temperature Rating:**

25.0 degrees celsius all locations

**Frequency In Hertz:**

50.0 all locations

**Terminal Type And Quantity:**

8 compression

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A030a0