NSN 5925-01-368-3064

Circuit Breaker - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5925-01-368-3064

Body Style:

Rectangular dimensional envelope

Overall Length:

4.690 inches

Overall Height:

1.620 inches

Overall Width:

2.016 inches

Case Material:

Metal

Unthreaded Mounting Hole Diameter:

0.203 inches

Pole Quantity:

Mounting Facility Type And Quantity:

2 unthreaded hole

Maximum Continuous Load Current Rating Per Pole:

10.0 amperes dc single location

Operating Voltage Type And Rating Per Pole In Volts:

28.0 dc single location

Maximum Interrupting Capacity Current Type And Rating Per Pole In Amps:

4000.0 dc single location

Circuit Protection Type:

Overcurrent single location

Trip Release Method:

Magnetic single location

Trip Release Characteristic:

Time delay single location

Ultimate Trip Rating Of Continuous Current Rating Per Pole In Percent:

125.0 single location

Reset Method:

Manual

Main Contact Tripping Mechanism Type:

Trip free

Actuator Function:

Trip-reset

Internal Trip Release Configuration:

Series trip single location

Trip Delay Time In Seconds Per Rated Continuous Current:

108.000 at 200 pct single location and 200.000 at 200 pct single location

Terminal Type And Quantity:

2 threaded stud

NSN 5925-01-368-3064

Circuit Breaker - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A030a0